

Approved Adhesives



LAYBOND BOSTIK
01785 272625

F BALL
01538 361633

TREMCO
01942 251400

UZIN
01788 530080

MAPEI
0121 5086970

POLYFLOR
0161 767 1111

PEARLAZZO PUR

Horizontal Bond	-	F44, F48	105, 108	KE2000S, KE66, KE20S	-	-
Horizontal Bond High Temperature/Extreme Conditions	-	F74, F81, F84	Treothane	-	G19	Polyflor Polyurethane
Vertical Bond	-	-	115	-	-	-

PRESTIGE PUR, MYSTIQUE PUR, CLASSIC MYSTIQUE PUR

Horizontal Bond	L72, L73, L78, L80	F44, F46	105, 108	KE2000S, KE20S	VS90, Eco-Fix	SS1-A
Horizontal Bond High Temperature/Extreme Conditions	E2000	F84	Treothane, 1635	KR421	G19	Polyflor Polyurethane
Vertical Bond	Gripfill Contact	F60, F66	108, 111, 115	DK700	VZ	P25

2000 PUR, XL PU, STANDARD XL

Horizontal Bond	L72, L73, L78, L80	F44, F46	105, 108	KE2000S, KE20S	VS90, Eco-Fix	SS1-A
Horizontal Bond High Temperature/Extreme Conditions	E2000	F81	Treothane, 1635	KR421	G19	Polyflor Polyurethane
Vertical Bond	Gripfill Contact	F60, F66	108, 111, 115	DK700	VZ	P25

POLYSAFE ECOMAX

Horizontal Bond	L72, L73, L78	F44, F46	105, 108	KE2000S, KE20S	VS45, V4SP, Eco-Fix	-
Horizontal Bond High Temperature/Extreme Conditions	E2000	F81, F84	Treothane, 1635	KR421	G19	-
Vertical Bond	Gripfill Contact	F60, F66	111, 115	GN276, DK700	VZ, VS45	-

POLYSAFE CORONA PUR, ASTRAL PUR, VOGUE ULTRA PUR, STANDARD PUR, STRATA, ULTIMA

Horizontal Bond	L72, L73, L78	F44, F45, F47	105, 108	KE2000S, KE20S	VS90, Eco-Fix	-
Horizontal Bond Heavy Duty/Wet Areas	E2000	F74, F84	Treothane, 1635	KR421	G19	-
Vertical Bond	Gripfill Contact	-	111, 115	GN276	VZ	-

POLYSAFE WOOD FX PUR

Horizontal Bond	-	F44, F48	105, 108	KE2000S, KE20S	-	-
Horizontal Bond High Temperature/Extreme Conditions	-	F74, F81, F84	4004	KR421	-	-
Vertical Bond	-	-	-	-	-	-

POLYSAFE MOSAIC PUR

Horizontal Bond	L72, L73, L78, L80	F44, F46, F47, F48	-	-	-	-
Horizontal Bond High Temperature/Extreme Conditions	E2000	F74, F81, F84	-	-	-	-
Vertical Bond	Gripfill Contact	-	-	-	-	-

POLYSAFE HYDRO, HYDRO EVOLVE

Horizontal Bond	-	-	-	-	-	-
Horizontal Bond High Temperature/Extreme Conditions	E2000	F74, F84	Treothane, 1635	KR421	G19	-
Vertical Bond	Gripfill Contact	-	111, 115	DK700	VZ	-

EXPONA DESIGN, BEVEL LINE, KUDOS, CAMARO, COLONIA HOMELINE

Horizontal Bond	L78	F46	108	KE2000S	VS90	LVT Acrylic
Horizontal Bond High Temperature/Extreme Conditions	E2000	F74, F81	4004, 1635	KR421	G19	Polyflor Polyurethane
Vertical Bond	Gripfill Contact	F60, F66	108, 111, 115	DK700	VZ	-

FOREST FX, MINERAL FX

Horizontal Bond	L72, L73, L78	F44	105, 108	KE2000S, KE20S	G19, VS90	-
Horizontal Bond High Temperature/Extreme Conditions	E2000	F74, F81, F84	Treothane	KR421	G19	Polyflor Polyurethane
Vertical Bond	C O N T A C T P O L Y F L O R					

ACOUSTIX FOREST FX, ACOUSTIX GALLERY FX, POLYSAFE WOOD FX ACOUSTIX PUR

Horizontal Bond	L72, L73, L78	F44, F46	-	KE2000S, KE20S, KE66	G19, VS90	-
Horizontal Bond High Temperature/Extreme Conditions	E2000	F74, F81, F84	-	-	G19	Polyflor Polyurethane
Vertical Bond	Gripfill Contact	F60, F66	-	-	VZ	-

Approved Adhesives



	LAYBOND BOSTIK 01785 272625	F BALL 01538 361633	TREMCO 01942 251400	UZIN 01788 530080	MAPEI 0121 5086970	POLYFLOR 0161 767 1111
ACOUSTIFOAM						
Foam to Floor (Horizontal)	L72 (wet), L73, L78	F44	105, 108	KE2000S, KE20S	VS90, Eco-Fix	-
Sheet Vinyl to Foam	L72	F46, F47	108	KE2000S	G19, VS90	-
Sheet Rubber to Foam	L72	F84	Tretothane	-	G19	-
Forest FX to Foam	-	-	108	-	G19	-
POLYFLOR EC, FINESSE EC						
Horizontal Bond	L76	F57	106, 844	KE2000SL, KE66L	V4 Conductive G19 Conductive	P30
Horizontal Bond High Temperature/Extreme Conditions	-	-	-	KR421L	G19 Conductive	-
Vertical Bond	Gripfill Contact	F60	111, 115, 844	GN276, GN276L	VZ	P25
POLYFLOR SD, 2000 SD, FINESSE SD						
Horizontal Bond	L76	F57	106, 844	KE2000SL, KE66L	V4 Conductive G19 Conductive	P30
Horizontal Bond High Temperature/Extreme Conditions	-	-	-	KR421L	G19 Conductive	-
Vertical Bond	Gripfill Contact	F60	111, 115, 844	DK700, GN276L	VZ	P25
POLYFLOR CONDUCTIVE ROF						
Horizontal Bond	L76	-	106, 844	KE2000SL, KE66L	V4 Conductive G19 Conductive	P30
Horizontal Bond High Temperature/Extreme Conditions	-	-	-	KR421L	G19 Conductive	-
Vertical Bond	Gripfill Contact	-	844	-	-	P25
POLYFLOR SPORT 67, 80						
Horizontal Bond	L72, L73, L78	F44, F46	105, 108	KE2000S, KE20S	VS90, Eco-Fix	-
Horizontal Bond High Temperature/Extreme Conditions	-	F74, F81, F84	-	-	G19	-
Vertical Bond		C O N T A C T P O L Y F L O R				
POLYFLEX PLUS PU						
Horizontal Bond	L47, L72, L73, L80	F44, F46	105, 108	KE2000S, KE20S	VS90, Eco-Fix	SS1-A
Horizontal Bond High Temperature/Extreme Conditions	E2000	F81	Tretothane, 1635	KR421	G19	Polyflor Polyurethane
Vertical Bond	Gripfill Contact	F60	111, 115	DK700	VZ	P25
SARRFLOOR DIAMANT						
Horizontal Bond	L72 (wet), L73, L78	F58	108 (semi-wet)	KE2000S, KE20S	G19	-
Horizontal Bond High Temperature/Extreme Conditions	E2000	F74, F81, F84	Tretothane, 1635, 5000AT	KR421, KR430	G19	Polyflor Polyurethane
Vertical Bond	Gripfill Contact	F60, F61	111, 115, 1635	DK700	VZ	P25
SAARFLOOR NOPPE STUD, SLATE						
Horizontal Bond	L72 (wet), L73, L78	F58	108 (semi-wet)	KR421, KR430	G19	P25
Horizontal Bond High Temperature/Extreme Conditions	E2000	F74, F81, F84	Tretothane, 1635 5000AT	KR421, KR430	G19	Polyflor Polyurethane
Vertical Bond	Gripfill Contact	F60, F61	111, 115, 1635	DK700	VZ	P25
POLYCLAD PU						
Horizontal Bond (Ceilings)	77 + Gripfill Contact	-	115	-	-	-
Horizontal Bond High Temperature/Extreme Conditions	-	-	-	-	-	-
Vertical Bond	77 + Gripfill Contact	-	115	-	-	-
POLYCLAD PLUS PU						
Horizontal Bond (Ceilings)	77 + Gripfill Contact	F48	115	-	-	-
Horizontal Bond High Temperature/Extreme Conditions	-	-	-	-	-	-
Vertical Bond	77 + Gripfill Contact	-	115	-	-	-

Approved Adhesives

Polyflor Ltd provide this information only as guidance, and the legal responsibility for the supply and performance of the above adhesives shall remain the sole responsibility of the relevant manufacturer.

Laybond Products Ltd
01785 272625 www.laybond.co.uk

F Ball and Co Ltd
01538 361633 www.f-ball.co.uk

Tremco Ltd
01942 251400 www.tremco-illbruck.co.uk

UZIN Ltd
01788 530080 www.uzin.co.uk

Mapei UK Ltd
0121 5086970 www.mapei.co.uk

By providing this information, Polyflor Ltd do not imply any equivalence between each of the different manufacturer's products, or that other products would prove unsatisfactory.

When more than one adhesive is listed selection should be based upon suitability to the installation environment.

Application of the named adhesives must be actioned in strict accordance with the relevant manufacturer's instructions, which may include the application of a primer in certain situations.

Site conditions must be as described under BS8203:2001.

For information regarding handling and installation and maintenance consult Polyflor Customer Technical Services on +44 (0)161 767 1912 or email tech@polyflor.com

