

# APPROVED ADHESIVES

LAYBOND BOSTIK  
Tel: 01785 272625

F BALL  
Tel: 01538 361633

TREMCO  
Tel: 01942 251400

UZIN  
Tel: 01788 530080

MAPEI  
Tel: 0121 5086970

## PEARLAZZO PUR, PRESTIGE PUR, MYSTIQUE PUR, CLASSIC MYSTIQUE PUR, 2000 PUR, XL PU, STANDARD XL, ECOMAX, POLYFLEX PLUS PU

Horizontal Bond	Laybond HT Laybond Pressure Sensitive	F44, F46	SF105, SF108	KE2000S, KE66	VS90plus, V4SP
Horizontal Bond High Temperature/Extreme Conditions	Not available	F81, F84	SF512	KR430	G19, MS4LVT
Vertical Bond	Gripfill Contact	F60, F66	SF115	WK222	VZ

## POLYSAFE VERONA PUR, ASTRAL PUR, VOGUE ULTRA PUR, STANDARD PUR, ULTIMA, APEX

Horizontal Bond	Laybond HT Laybond Pressure Sensitive	F44, F47	SF105, SF108	KE2000S, KE66	VS90Plus, V4SP
Horizontal Bond Heavy Duty / Wet Areas	Not available	F74, F84	SF600, SF512, SF165	KR430	G19
Vertical Bond	Gripfill Contact	F60, F66	SF111, SF115	WK222	VZ

## POLYSAFE WOOD FX PUR, MODENA PUR, ARENA PUR

Horizontal Bond	Not available	F44, F46	Not available	KE2000S, KE66	VS90Plus, V4SP
Horizontal Bond High Temperature/Extreme Conditions	Not available	F74, F84	SF404, SF512	KR430	G19
Vertical Bond	Not available	F66	Not available	KE2000S	Not available

## POLYSAFE MOSAIC PUR

Horizontal Bond	Not available	F44	Not available	KE2000S, KE66	VS90Plus, V4SP
Horizontal Bond High Temperature/Extreme Conditions	Not available	F74, F84	SF512	KR430	G19
Vertical Bond	Laybond Pressure Sensitive	F66	Not available	WK222	VZ

## POLYSAFE HYDRO, HYDRO EVOLVE, QUATTRO

Horizontal Bond	Not available	F74, F84	SF600, SF512, SF165	KR430	G19
Vertical Bond	Gripfill Contact	F60	SF111, SF115	WK222	VZ

## EXPONA DESIGN, EXPONA COMMERCIAL, EXPONA CONTROL, EXPONA BEVEL LINE, CAMARO, COLONIA, AFFINITY 2<sup>SS</sup>

Horizontal Bond	Laybond HT	F46, F49	SF108	KE2000S, KE66	VS90, G19
Horizontal Bond High Temperature	Not available	F74, F81	SF404, SF512, SF165	KR430	G19
Vertical Bond	Laybond Pressure Sensitive	F66	SF108	WK222	VZ

## BLOC PUR

Horizontal Bond	Not available	F46, F49	SF108	KE2000S	Not available
Horizontal Bond High Temperature/Extreme Conditions	Not available	Not available	Not available	Not available	Not available
Vertical Bond	Not available	F66	Not available	KE2000S	Not available

## EXPONA FLOW, FOREST FX

Horizontal Bond	Not available	F44, F46, F49	Not available	KE2000S, KE66	VS90
Horizontal Bond High Temperature/Extreme Conditions	Not available	F74, F81	SF600	KR430	G19
Vertical Bond	Laybond Pressure Sensitive	F66	Not available	KE2000S	Not available

# APPROVED ADHESIVES

LAYBOND BOSTIK  
Tel: 01785 272625

F BALL  
Tel: 01538 361633

TREMCO  
Tel: 01942 251400

UZIN  
Tel: 01788 530080

MAPEI  
Tel: 0121 5086970

## ACOUSTIX FOREST FX, POLYSAFE WOOD FX ACOUSTIX PUR, SECURA, SILENTFLOR

Horizontal Bond	Not available	F44, F46	Not available	KE2000S, KE66	G19, VS90
Horizontal Bond High Temperature/Extreme Conditions	Not available	F74, F84	SF512	KR430	G19
Vertical Bond	Laybond Pressure Sensitive	F66	Not available	WK222	Not available

## ACOUSTIFOAM

Foam to Floor (Horizontal)	Laybond Pressure Sensitive	F44	SF105, SF108	KE2000S, KE2428, KE66	VS90, ECO380
Sheet Vinyl to Foam	Laybond Pressure Sensitive	F46, F47	SF108	KE2000S	Ecofix
Sheet Rubber to Foam	Laybond Pressure Sensitive	F84	SF600		G19
Forest FX to Foam	Laybond Pressure Sensitive	Not available	SF108	Not available	G19

## POLYFLOR SD, POLYFLOR FINESSE SD

Horizontal Bond	L76 Conductive	F57	Not available	KE2000SL	V4 Conductive G19 Conductive
Horizontal Bond High Temperature/Extreme Conditions	Not available	Not available	Not available	KR421L	G19 Conductive
Vertical Bond	Not available	F60	Not available	Not available	Not available

## POLYFLOR CONDUCTIVE ROF

Horizontal Bond	Not available	Not available	Not available	KR421L	V4 Conductive G19 Conductive
Horizontal Bond High Temperature/Extreme Conditions	Not available	Not available	Not available	KR421L	G19 Conductive
Vertical Bond	Not available	Not available	Not available	Not available	Not available

## POLYFLOR OHMEGA EC, POLYFLOR EC

Horizontal Bond	L76 Conductive	F57	Not available	KE2000SL	V4 Conductive G19 Conductive
Horizontal Bond High Temperature/Extreme Conditions	Not available	Not available	Not available	KR421L	G19 Conductive
Vertical Bond	Not available	F66	Not available	Not available	Not available

# APPROVED ADHESIVES

LAYBOND BOSTIK  
Tel: 01785 272625

F BALL  
Tel: 01538 361633

TREMCO  
Tel: 01942 251400

UZIN  
Tel: 01788 530080

MAPEI  
Tel: 0121 5086970

## POLYFLOR SPORT 67

Horizontal Bond	Laybond HT Laybond Pressure Sensitive	F44, F46	SF105, SF108	KE2000S, KE66	VS90, ECO380
Horizontal Bond High Temperature/Extreme Conditions	Not available	F74, F84	SF512	Not available	G19
Vertical Bond	Gripfill Contact	F60, F66	Not available	Not available	Not available

## SAARFLOOR DIAMANT, SAARFLOOR NOPPE STUD TILE

Horizontal Bond	Laybond HT Laybond Pressure Sensitive	F58	SF108 (semi-wet)	KE2000S, KE66	G19
Horizontal Bond High Temperature/Extreme Conditions	Not available	F74, F84	SF165, SF512, SF600	KR430	G19
Vertical Bond	Gripfill Contact	F60, F61	SF111, SF115, SF165	Not available	VZ

## POLYCLAD PRO PU

Vertical Bond (as per EN13501-1)	Not available	Not available	SF108	KE2000S	Not available
-------------------------------------	---------------	---------------	-------	---------	---------------

## POLYCLAD PLUS PU

Vertical Bond (as per EN13501-1)	Not available	F48	SF108	KE2000S	Test pending
-------------------------------------	---------------	-----	-------	---------	--------------

Polyflor Ltd provide this information only as guidance, and the legal responsibility for the supply and performance of the above adhesives shall remain the sole responsibility of the relevant manufacturer.

Laybond Products Ltd 01785 272625 [www.bostik.co.uk](http://www.bostik.co.uk)

F Ball and Co Ltd 01538 361633 [www.f-ball.co.uk](http://www.f-ball.co.uk)

Tremco Ltd 01942 251400 [www.tremco-illbruck.co.uk](http://www.tremco-illbruck.co.uk)

UZIN Ltd 01788 530080 [www.uzin.co.uk](http://www.uzin.co.uk)

Mapei UK Ltd 0121 5086970 [www.mapei.co.uk](http://www.mapei.co.uk)

By providing this information, Polyflor Ltd do not imply any equivalence between each of the different manufacturer's products, or that other products would prove unsatisfactory. When more than one adhesive is listed selection should be based upon suitability to the installation environment. Application of the named adhesives must be actioned in strict accordance with the relevant manufacturer's instructions, which may include the application of a primer in certain situations. Site conditions must be as described under BS8203:2001.

For information regarding handling and installation and maintenance consult Polyflor Customer Technical Services on +44 (0)161 767 1912 or email [tech@polyflor.com](mailto:tech@polyflor.com)