

CHARACTERISTICS	STANDARD	PACK DIMENSIONS				
		2.0/0.3mm	2.5/0.55mm	2.5/0.7mm	3.0/0.7mm	5.0/0.7mm
Type of floor covering	EN ISO 10582	heterogeneous, PVC	heterogeneous, PVC	heterogeneous, PVC	heterogeneous, PVC	heterogeneous, PVC
Surface treatment		PU	PUR	PU	PUR	PUR
Total weight	EN ISO 23997	3600 g/m ²	4290 g/m ²	4200 g/m ²	5100 g/m ²	8000 g/m ²
Performance classification	EN ISO 10874	23, 31	23, 33, 42	23, 34, 43	23, 34, 43	23, 34, 43
Gauge	EN ISO 24346	2.0mm	2.5mm	2.5mm	3.0mm	5.0mm
Wear layer thickness	EN ISO 24340	0.3mm	0.55mm	0.7mm	0.7mm	0.7mm
Dimensional stability	EN ISO 23999	≤0.25%	≤0.25%	≤0.25%	≤0.25%	≤0.15%
Residual indentation	EN ISO 24343-1	≤0.1mm	≤0.1mm	≤0.1mm	≤0.1mm	≤0.1mm
Colour fastness to artificial light	EN ISO 105-B02	≥ 6	≥ 6	≥ 6	≥ 6	≥ 6
Behaviour to fire	EN 13501-1	Bfl -s1	Bfl -s1	Bfl -s1	Bfl -s1	Bfl -s1
Slip resistance*	DIN 51130 EN 13893	R10 DS	R10 DS	R10 DS	R10 DS	R10 DS
Thermal conductivity	EN 12524	0.25W/(m.K)	0.25W/(m.K)	0.25W/(m.K)	0.25W/(m.K)	0.25W/(m.K)
Static electrical propensity	EN 1815	≤2.0 kV classified as 'antistatic'	≤2.0 kV classified as 'antistatic'	≤2.0 kV classified as 'antistatic'	≤2.0 kV classified as 'antistatic'	≤2.0 kV classified as 'antistatic'
Castor chair suitability	ISO 4918	suitable	suitable	suitable	suitable	suitable
Underfloor heating suitability	EN 1264-2	suitable, max. 27 °C	suitable, max. 27 °C	suitable, max. 27 °C	suitable, max. 27 °C	suitable, max. 27 °C
VOC emissions	Indoor Air Comfort Gold	Eurofins certified product	Eurofins certified product	Eurofins certified product	Eurofins certified product	Eurofins certified product

* For clarification regarding slip, consult Polyflor technical services.

	PACK DIMENSIONS				
	2.0/0.3mm	2.5/0.55mm	2.5/0.7mm	3.0/0.7mm	5.0/0.7mm
Plank Size	36 @ 101.6 x 914.4mm = 3.34m ² 15 @ 184.2 x 1219.2mm = 3.37m ²	36 @ 101.6 x 914.4mm = 3.34m ² 18 @ 152.4 x 1219.2mm = 3.34m ² 15 @ 184.2 x 1219.2mm = 3.37m ² 12 @ 228.7 x 1219.2mm = 3.34m ²	36 @ 101.6 x 914.4mm = 3.34m ²	24 @ 152.4 x 914.4mm = 3.34m ²	
Tile Size	18 @ 304.8 x 609.6mm = 3.34m ²	18 @ 304.8 x 609.6mm = 3.34m ² 12 @ 304.8 x 914.4mm = 3.34m ² 16 @ 457.2 x 457.2mm = 3.34m ² 9 @ 609.6 x 609.6mm = 3.34m ²	16 @ 457.2 x 457.2 = 3.34m ²	18 @ 304.8 x 609.6mm = 3.34m ² 12 @ 304.8 x 914.4mm = 3.34m ² 9 @ 609.6 x 609.6mm = 3.34m ²	12 @ 457.2 x 457.2mm = 2.50m ²

