

APPROVED ADHESIVES

LAYBOND BOSTIK
Tel: 01785 272625

F BALL
Tel: 01538 361633

ARDEX
Tel: 01440 714939

UZIN
Tel: 01788 530080

MAPEI
Tel: 0121 5086970

PALETTONE PUR, PEARLAZZO PUR, PRESTIGE PUR, MYSTIQUE PUR, CLASSIC MYSTIQUE PUR, 2000 PUR, XL PU, STANDARD XL, ECOMAX, POLYFLEX PLUS PU

Horizontal Bond	Laybond Vinyl Bostik's Best	F44, F46, F49	AF165	KE2000S, KE66	VS90plus, V4SP
Horizontal Bond High Temperature/Extreme Conditions	Epoxy 2000	F81, F84	AF2575	KR430	G19, MS4LVT
Vertical Bond	Bostik's Best	F60, F66, F49	Not available	WK222	VZ

POLYSAFE VERONA PUR, ASTRAL PUR, VOGUE ULTRA PUR, STANDARD PUR, ULTIMA, APEX

Horizontal Bond	Laybond HT Bostik's Best	F44, F47, F49	AF145, AF165	KE2000S, KE66	VS90Plus, V4SP
Horizontal Bond Heavy Duty / Wet Areas	Epoxy 2000	F74, F84	AF2525, AF2575	KR430	G19
Vertical Bond	Bostik's Best	F60, F66, F49	Not available	WK222	VZ

POLYSAFE WOOD FX PUR, MODENA PUR, ARENA PUR

Horizontal Bond	Laybond HT Bostik's Best	F44, F46, F49	TBC	KE2000S, KE66	VS90Plus, V4SP
Horizontal Bond High Temperature/Extreme Conditions	Epoxy 2000	F74, F84	AF2525	KR430	G19
Vertical Bond	Bostik's Best	F66, F49	Not available	KE2000S	Not available

POLYSAFE MOSAIC PUR

Horizontal Bond	Laybond HT Bostik's Best	F44, F49	AF165, AF175	KE2000S, KE66	VS90Plus, V4SP
Horizontal Bond High Temperature/Extreme Conditions	Epoxy 2000	F74, F84	AF2525, AF2575	KR430	G19
Vertical Bond	Bostik's Best	F66, F49	Not available	WK222	VZ

POLYSAFE HYDRO, HYDRO EVOLVE, QUATTRO

Horizontal Bond	Epoxy 2000	F74, F84, F49	AF2525, AF2575	KR430	G19
Vertical Bond	Gripfill Contact	F60, F49	Not available	WK222	VZ

EXPONA DESIGN, EXPONA COMMERCIAL, EXPONA CONTROL, EXPONA BEVEL LINE, CAMARO, COLONIA, AFFINITY 2^{SS}

Horizontal Bond	Laybond HT Bostik's Best	F46, F49	AF165, AF175	KE2000S, KE66	VS90plus, G19
Horizontal Bond High Temperature	Epoxy 2000	F74, F49	AF2525, AF2575	KR430	G19
Vertical Bond	Bostik's Best	F66	Not available	WK222	VZ

BLOC PUR

Horizontal Bond	Bostik's Best	F46, F49	Not available	KE2000S	Not available
Horizontal Bond High Temperature/Extreme Conditions	Not available	Not available	Not available	Not available	Not available
Vertical Bond	Bostik's Best	F66	Not available	KE2000S	Not available

EXPONA FLOW, FOREST FX

Horizontal Bond	Laybond HT Bostik's Best	F44, F46, F49	Not available	KE2000S, KE66	VS90plus
Horizontal Bond High Temperature/Extreme Conditions	Not available	F74, F81	Not available	KR430	G19
Vertical Bond	Bostik's Best	F66, F49	Not available	KE2000S	Not available

APPROVED ADHESIVES

LAYBOND BOSTIK
Tel: 01785 272625

F BALL
Tel: 01538 361633

ARDEX
Tel: 01440 714939

UZIN
Tel: 01788 530080

MAPEI
Tel: 0121 5086970

ACOUSTIX FOREST FX, POLYSAFE WOOD FX ACOUSTIX PUR, SECURA, SILENTFLOR

Horizontal Bond	Laybond Vinyl Bostik's Best	F44, F46, F49	AF145, AF165	KE2000S, KE66	G19, VS90plus
Horizontal Bond High Temperature/Extreme Conditions	Epoxy 2000	F74, F84	AF2575	KR430	G19
Vertical Bond	Bostik's Best	F66	Not available	WK222	Not available

WOVON

Horizontal Bond	Bostik's Best	F44, F49	AF165	KE2000S	G19
Horizontal Bond High Temperature/Extreme Conditions	Bostik's Best	F49, F74	Not available	KR430	G19
Vertical Bond	Not available	Not available	Not available	Not available	Not available

ACOUSTIFOAM

Foam to Floor (Horizontal)	Laybond Vinyl Bostik's Best	F44	Not available	KE2000S, KE2428, KE66	VS90plus, ECO380
Sheet Vinyl to Foam	Bostik's Best	F46, F47	Not available	KE2000S	Ecofix
Sheet Rubber to Foam	Not available	F84	Not available		G19
Forest FX to Foam	Bostik's Best	Not available	Not available	Not available	G19

PALETTONE SD, POLYFLOR SD, POLYFLOR FINESSE SD

Horizontal Bond	Not available	F57	Not available	KE2000SL	V4 Conductive G19 Conductive
Horizontal Bond High Temperature/Extreme Conditions	Not available	Not available	Not available	KR421L	G19 Conductive
Vertical Bond	Not available	F60	Not available	Not available	Not available

POLYFLOR CONDUCTIVE ROF

Horizontal Bond	Not available	Not available	Not available	KR421L	V4 Conductive G19 Conductive
Horizontal Bond High Temperature/Extreme Conditions	Not available	Not available	Not available	KR421L	G19 Conductive
Vertical Bond	Not available	Not available	Not available	Not available	Not available

POLYFLOR OHMEGA EC, POLYFLOR EC

Horizontal Bond	Not available	F57	Not available	KE2000SL	V4 Conductive G19 Conductive
Horizontal Bond High Temperature/Extreme Conditions	Not available	Not available	Not available	KR421L	G19 Conductive
Vertical Bond	Not available	F66	Not available	Not available	Not available

APPROVED ADHESIVES

LAYBOND BOSTIK
Tel: 01785 272625

F BALL
Tel: 01538 361633

ARDEX
Tel: 01440 714939

UZIN
Tel: 01788 530080

MAPEI
Tel: 0121 5086970

POLYFLOR SPORT 67					
Horizontal Bond	Laybond Vinyl Bostik's Best	F44, F46, F49	Not available	KE2000S, KE66	VS90plus, ECO380
Horizontal Bond High Temperature/Extreme Conditions	Not available	F74, F84	Not available	Not available	G19
Vertical Bond	Gripfill Contact	F60, F66, F49	Not available	Not available	Not available
SAARFLOOR DIAMANT, SAARFLOR NOPPE STUD TILE					
Horizontal Bond	Bostik's Best	F58	AF275	KE2000S, KE66	G19
Horizontal Bond High Temperature/Extreme Conditions	Epoxy 2000	F74, F84	AF2575, AF2525	KR430	G19
Vertical Bond	Gripfill Contact	F60, F61	Not available	Not available	VZ
POLYCLAD PRO PU					
Vertical Bond (as per EN13501-1)	Not available	Not available	Not available	KE2000S	Not available
POLYCLAD PLUS PU					
Vertical Bond (as per EN13501-1)	Not available	F48	Not available	KE2000S	Test pending

Polyflor Ltd provide this information only as guidance, and the legal responsibility for the supply and performance of the above adhesives shall remain the sole responsibility of the relevant manufacturer.

Laybond Products Ltd 01785 272625 www.bostik.co.uk

F Ball and Co Ltd 01538 361633 www.f-ball.co.uk

Ardex 01440 714939 www.ardex.co.uk

UZIN Ltd 01788 530080 www.uzin.co.uk

Mapei UK Ltd 0121 5086970 www.mapei.co.uk

By providing this information, Polyflor Ltd do not imply any equivalence between each of the different manufacturer's products, or that other products would prove unsatisfactory. When more than one adhesive is listed selection should be based upon suitability to the installation environment. Application of the named adhesives must be actioned in strict accordance with the relevant manufacturer's instructions, which may include the application of a primer in certain situations. Site conditions must be as described under BS8203:2001.

For information regarding handling and installation and maintenance consult Polyflor Customer Technical Services on +44 (0)161 767 1912 or email tech@polyflor.com