

# Approved Adhesive List UK & Ireland

Please Note: It is the responsibility of the Installer to ensure that the adhesives listed herein are applied strictly in accordance with the relevant Manufacturer's instructions. This includes installation over Under Floor Heating (UFH) systems and areas where high temperature fluctuations occur.

	ARDEX UK	BOSTIK	F BALL & Co	MAPEI	UZIN
<b>PALETTONE PUR   PEARLAZZO PUR   PRESTIGE PUR   CLASSIC MYSTIQUE PUR   2000 PUR   XL PU   STANDARD XL</b>					
Permanent Bond	AF165	R3Bond System	F44	Ultrabond Eco V4 Evolution	KE2000S
	AF145	STIX A300 MultiFloor	F46	Ultrabond Eco VS90 Plus	KE66
	AF148	STIX A800 Premium STIX A640 PS	F49 F58 PLUS	Ultrabond Eco 380	
Permanent Bond - High Solar Gain / Extreme Conditions	AF2575 PLUS	STIX H900 RESIST+	F73 PLUS F81	Adesilex G19 Ultrabond Eco MS1	KR430
Permanent Bond - Site Formed Cove	AF635	Bostik Roll CONTACT N320 MULTI	F49 F60 F66	Adisilex VZ	KE2000S WK222
<b>POLYFLEX PLUS PU TILES</b>					
Permanent Bond	AF165	R3Bond System	F44	Ultrabond Eco V4 Evolution	KE2000S
	AF145	STIX A300 MultiFloor	F46	Ultrabond Eco VS90 Plus	KE66
	AF148	STIX A800 Premium	F49 F58 PLUS	Ultrabond Eco 380	
Permanent Bond - High Solar Gain / Extreme Conditions	AF2575 PLUS	STIX H900 RESIST+	F73 PLUS	Adesilex G19 Ultrabond Eco MS1	KR430
<b>POLYSAFE: VERONA PUR   ASTRAL PUR   VOGUE ULTRA PUR   STANDARD PUR   ULTIMA   APEX   APEX 55</b>					
Permanent Bond	AF165	R3Bond System	F44	Ultrabond Eco V4 Evolution	KE2000S
	AF145	STIX A300 MultiFloor	F47	Ultrabond Eco VS90 Plus	KE66
	AF148	STIX A800 Premium	F49 F58 PLUS	Ultrabond Eco 380	
Permanent Bond - High Solar Gain / Extreme Conditions	AF2575 PLUS	STIX H900 RESIST+	F73 PLUS F81	Adesilex G19 Ultrabond Eco MS1	KR430
Permanent Bond - Site Formed Cove	AF635	Bostik Roll	F49 F60	Adisilex VZ	KE2000S WK222
<b>POLYSAFE: WOOD FX PUR   STONE FX PUR</b>					
Permanent Bond	-	R3Bond System	F44	Ultrabond Eco V4 Evolution	KE2000S
		STIX A300 MultiFloor	F46	Ultrabond Eco VS90 Plus	KE66
		STIX A800 Premium	F49		
Permanent Bond - High Solar Gain / Extreme Conditions	AF2525 AF2575 PLUS	STIX H900 RESIST+	F73 PLUS	Adesilex G19 Ultrabond Eco MS1	KR430
Permanent Bond - Site Formed Cove	-	Bostik Roll	F49 F66	-	KE2000S
<b>POLYSAFE: MOSAIC PUR</b>					
Permanent Bond	AF165	STIX A800 Premium	F44	Ultrabond Eco V4 Evolution	KE2000S
	AF175		F47	Ultrabond Eco VS90 Plus	KE66
			F49	Ultrabond Eco 380	
Permanent Bond - High Solar Gain / Extreme Conditions	AF2525	STIX H900 RESIST+	F73 PLUS F81	Adesilex G19 Ultrabond Eco MS1	KR430
Permanent Bond - Site Formed Cove	-	-	F49 F66	-	KE2000S WK222
<b>POLYSAFE: HYDRO   HYDRO EVOLVE   QUATTRO PUR</b>					
Permanent Bond	AF2525	STIX H900 Resist+	F49	Adesilex G19	KR430
	AF2575 PLUS		F73 PLUS F81	Ultrabond Eco MS1	
Permanent Bond - Site Formed Cove	-	CONTACT N320 MULTI	F49 F60 F66	Adisilex VZ	WK222
<b>EXPONA DESIGN PUR   EXPONA COMMERCIAL PUR   EXPONA CONTROL PUR   EXPONA BEVEL LINE PUR   CAMARO PUR   COLONIA PUR   AFFINITY 2<sup>55</sup> PUR FUSIONLINE PUR   CONCEPTLINE PUR</b>					
Permanent Bond	AF145	STIX A800 Premium	F46	Ultrabond Eco V4 Evolution	KE2000S
	AF165	STIX A640 PS	F49	Ultrabond Eco VS90 Plus	KE66
	AF175		F58 PLUS	Ultrabond Eco 4LVT	
Permanent Bond - High Solar Gain / Extreme Conditions	AF2525 AF2575 PLUS	STIX H900 RESIST+	F49 F73 PLUS	-	KR430
<b>BLOC PUR</b>					
Permanent Bond *	-	-	F49 F46	-	KE2000S
	-	Bostik Roll	F49 F66	-	KE2000S

# Approved Adhesive List UK & Ireland

Please Note: It is the responsibility of the Installer to ensure that the adhesives listed herein are applied strictly in accordance with the relevant Manufacturer's instructions. This includes installation over Under Floor Heating (UFH) systems and areas where high temperature fluctuations occur.

	ARDEX UK	BOSTIK	F BALL & Co	MAPEI	UZIN
<b>EXPONA FLOW PUR   FOREST FX PUR</b>					
Permanent Bond	-	R3Bond System STIX A300 MultiFloor STIX A800 Premium	F44 F46 F49	Ultrabond Eco VS90 Plus	KE2000S KE66
Permanent Bond - High Solar Gain / Extreme Conditions	-	-	F73 PLUS	-	KR430
Permanent Bond - Site Formed Cove	-	-	F49 F66	-	KE2000S
<b>ACOUSTIX FOREST FX PUR   POLYSAFE WOOD FX ACOUSTIX PUR   SILENTFLOR PUR</b>					
Permanent Bond	AF145 AF165	STIX A800 Premium	F44 F46 F49	Ultrabond Eco V4 Evolution Ultrabond Eco VS90 Plus Ultrabond Eco 4 LVT	KE2000S KE66
Permanent Bond - High Solar Gain / Extreme Conditions	AF2575 PLUS	STIX H900 RESIST+	F73 PLUS	Adesilex G19 Ultrabond Eco MS1	KR430
<b>DESIGNATEX PUR   ARCHITEX PUR</b>					
Non Permanent Release Bond	AF825	FIX A320 TACK	F41	Ultrabond Eco Tack TX+	KE50
<b>SECURA PUR</b>					
Permanent Bond	-	-	F44 F46 F49	Ultrabond Eco V4 Evolution Ultrabond Eco 4 LVT	KE2000S KE66
Non Permanent Release Bond	AF825	FIX A760 TECH	F41	Ultrabond Eco Tack TX+	KE50
<b>EXPONA SIMPLAY PUR</b>					
Non Permanent Release Bond	AF825	FIX A320 TACK	F41	Ultrabond Eco Tack TX+	KE50
<b>EXPONA SIMPLAY 19dB PUR</b>					
Non Permanent Release Bond	AF825	FIX A320 TACK	F41	Ultrabond Eco Tack TX+	KE50
Permanent Bond	AF165	STIX A800 Premium	F46 F49	Ultrabond Eco V4 Evolution Ultrabond Eco VS90 Plus	KE2000S KE66
<b>ACOUSTIFOAM (SHEET PRODUCTS ONLY)</b>					
Foam to Floor Horizontal Bond (Absorbent Substrates) Permanent Bond	-	STIX A300 MultiFloor STIX A800 Premium	F44	Ultrabond Eco VS90 Plus Ultrabond Eco 380	KE2000S KE66
Foam to Floor Horizontal Bond (Non Absorbent Substrates) Permanent Bond	-	A640	F46 F47	Ecofix	KE2000S
Vinyl sheet to Foam (Non Absorbent) Permanent Bond	-	A640	F46	Ultrabond Eco V4 Evolution	KE2000S
Forest fx / Compact vinyl to foam (non absorbent) Permanent Bond	-	-	F73 PLUS	Adesilex G19 Ultrabond Eco MS1	KE2000S
<b>PALETTONE SD   POLYFLOR SD   FINESSE SD**</b>					
Permanent Bond	-	STIX A970 Electro	F57	Ultrabond Eco V4 SP Conductive	-
Permanent Bond - Site Formed Cove	-	Bostik Roll	F49 F60 F66	-	-
<b>FINESSE EC   OHMEGA EC   POLYFLOR EC**</b>					
Permanent Bond	-	STIX A970 Electro	F57	Ultrabond Eco V4 SP Conductive	-
Permanent Bond - Site Formed Cove	-	Bostik Roll	F49 F60 F66	-	-
<b>CONDUCTIVE ROF</b>					
Permanent Bond	Contact Polyflor Technical Department for Project Specific Guidance				
<b>SPORT 67</b>					
Permanent Bond	-	STIX A800 Premium	F44 F46 F49	Ultrabond Eco VS90 Plus Ultrabond Eco 380	KE2000S KE66
Permanent Bond - High Solar Gain / Extreme Conditions	-	STIX H900 RESIST+	F73 PLUS F84	Adesilex G19	-
<b>SAARFLOR NOPPE STUD TILE</b>					
Permanent Bond	AF2575 PLUS	STIX H900 RESIST+	F58 PLUS	Ultrabond Eco V4 Evolution Ultrabond Eco VS90 Adesilex G19	KE2000S KE66
Permanent Bond - High Solar Gain / Extreme Conditions	AF2525 AF2575 PLUS	STIX H900 RESIST+	F73 PLUS F81 F84	Adesilex G19	KR430

# Approved Adhesive List UK & Ireland

Please Note: It is the responsibility of the Installer to ensure that the adhesives listed herein are applied strictly in accordance with the relevant Manufacturer's instructions. This includes installation over Under Floor Heating (UFH) systems and areas where high temperature fluctuations occur.

	ARDEX UK	BOSTIK	F BALL & Co	MAPEI	UZIN
<b>POLYCLAD PRO PU</b>					
Permanent Vertical Bond (Inc Ceilings / window reveals)	-	-	-	-	KE2000S
Vertical Bond (as per EN13501-1)	-	-	-	-	KE2000S
<b>POLYCLAD PLUS PU</b>					
Permanent Vertical Bond (Inc Ceilings / window reveals)	-	-	-	-	KE2000S
Vertical Bond (as per EN13501-1)	-	-	-	-	KE2000S
<b>ACCESSORIES - POLYFLOR EJECTA RANGE</b>					
Vertical Bond (as per EN13501-1)	-	Bostik Roll	F49 F60 F66	-	WK222 U-TACK TAPE

\* Adhesive must be rolled using a pre wetted lambswool paint roller prior to laying sheet into adhesive bed  
 \*\*Polyflor recommends the use of a Polyflor approved conductive adhesive for all Static Control floor coverings and a Polyflor approved adhesive for the installation of earthing strips. Contact CTSD to discuss your requirements.

ARDEX UK LTD 01440 714939 [www.ardex.co.uk](http://www.ardex.co.uk)  
 ARDEX BUILDING PRODUCTS IRELAND LTD +353 1 880 9210 [www.ardexbuildingproducts.ie](http://www.ardexbuildingproducts.ie)  
 BOSTIK LTD 01785 272727 [www.bostik.com/uk/en/](http://www.bostik.com/uk/en/)  
 F BALL & CO LTD 01538 361633 [www.f-ball.co.uk](http://www.f-ball.co.uk)  
 MAPEI UK LTD 0121 5086970 [www.mapei.com/gb/en/home-page](http://www.mapei.com/gb/en/home-page)  
 UZIN UTZ UK LTD 01788 530080 [www.uzin.co.uk](http://www.uzin.co.uk)

Polyflor Ltd provide this information only as guidance, and the legal responsibility for the supply and performance of the above adhesives shall remain the sole responsibility of the relevant manufacturer.

By providing this information, Polyflor Ltd do not imply any equivalence between each of the different manufacturer's products, or that other products would prove unsatisfactory. When more than one adhesive is listed selection should be based upon suitability to the installation environment. Application of the named adhesives must be actioned in strict accordance with the relevant manufacturer's instructions, which may include the application of a primer in certain situations. Site conditions must be as described under BS8203:2001. For information regarding handling and installation and maintenance consult Polyflor Customer Technical Services on +44 (0)161 767 1912 or email [tech@polyflor.com](mailto:tech@polyflor.com)